



PP115 Specification Sheet Snow Guards

PART 1 – GENERAL

1.1 SUMMARY

A. WORK INCLUDES

1. PP115 Snow guard that attaches directly to roof deck.
2. Coordinate with installation of roof to assure proper placement of snow guards.
3. Provide appropriate snow guard and fasteners for the roof system.

B. RELATED SECTIONS

1. Section 076000: Flashing and Sheet Metal	MasterFormat 2016 07 60 00
2. Section 075000: Membrane Roofing	MasterFormat 2016 07 50 00
3. Section 077253: Snow Guards	MasterFormat 2016 07 72 53

1.2 SYSTEM DESCRIPTION

A. COMPONENTS

Bracket: Snow guard system consists of snow guard bracket and base plate with (2) stainless steel nuts and (2) bonded stainless steel and EPDM washers.

1. KIT-145 BRACKET
2. W-NEO SS-.313
3. N-HX SS-.3125-18

Base Plate: A stainless steel base plate with two (2) 5/16" Stainless Steel flathead bolts welded into place.

4. BASE SS 6X8-100

B. ACCESSORIES

1. PP75, tubing
2. Couplings
 - a. PP84, external
 - b. PP86, internal
3. PP56, end caps
4. PP65, end collars
5. PP95, ice flags (optional)

Fasteners

- a. To be of metal compatible with snow guards.
- b. Fasteners should be selected for compatibility with roof deck.
- c. Fastener strength should exceed or be equal to that of snow guard system.
- d. Flashing Patch of appropriate size, material and method of installation to meet roof manufacturer's requirement for proper flashing.

C. DESIGN REQUIREMENTS:

1. Spacing to be recommended by manufacturer or building engineer.
2. Install a minimum of 7 fasteners per snow guard base plate.
3. It is important to design new structures or assess existing structures to ensure they can withstand retained snow loads.



PP115 Specification Sheet

Snow Guards

1.3 SUBMITTAL

- A. Submit manufacturer's specifications, standard detail drawings, installation instructions, and recommended layout.

1.4 QUALITY ASSURANCE

- A. Installer to be experienced in installation of specified roofing material and snow guards for not less than 5 years in the area of the project.

1.5 DELIVERY / STORAGE / HANDLING

- A. Inspect material upon delivery and order replacements for any missing or defective items. Keep material dry, covered and off the ground until installed.

PART 2 – PRODUCTS

2.1 MANUFACTURER

- A. Alpine SnowGuards, a Division of Vermont Slate & Copper Services Inc, 289 Harrel St. Morrisville, VT 05661 | 888-766-4273 | www.alpinesnowguards.com

2.2 MATERIALS

- A. Snow Guard Bracket - 6000 Series Aluminum.
- B. Base Plate – 11-gauge 304 stainless steel with two 5/16" 304 stainless steel machine screws welded into countersinks.
- C. Tubing (choose one)
 - 1. Aluminum – 6000 Series, 1" outside diameter and .120" wall thickness, extruded.
 - 2. Stainless Steel – 304 alloy, same dimensions as aluminum, welded.
- D. Couplings (choose one)
 - 1. External and exposed coupling which can also serve as 5" expansion mechanism.
 - a. 6000 Series Aluminum.
 - 2. Internal and concealed coupling 3" long.
 - a. 6000 Series Aluminum.
 - b. Stainless Steel – 304 Series.
- E. End Caps - 304 Stainless Steel.
- F. End Collars (choose one)
 - 1. 6000 Series Aluminum.
 - 2. 304 Stainless Steel.
- G. Ice Flags (choose one)
 - 1. 6000 Series Aluminum 3" wide x length (optional).
 - 2. 304 Stainless Steel.
- H. Fasteners (can be purchased from others) to be compatible with chosen roof application and meet specified pull-out values as shown in load test data.

2.3 FINISH (choose one)

- A. Mill Finish – standard
- B. Powder Coated – available at additional cost



PP115 Specification Sheet

Snow Guards

PART 3 – EXECUTION

3.1 EXAMINATION

A. Substrate

1. Inspect structure on which snow guard system is to be installed and verify that it will withstand any additional loading that it may incur. Notify general contractor of any deficiencies before installing Alpine SnowGuards' products.
2. Verify roofing material has been installed correctly prior to installing snow guards.

3.2 INSTALLATION

- A. Comply with architectural drawings and snow guard manufacturer's recommendations for location of system. Comply with manufacturer's written installation instructions for installation and layout

Document Version 09.10.2021
07 72 53 Snow Guard